

Corps $\varnothing 6$

Shank $\varnothing 6$


Schaft $\varnothing 6$

Hélice à 45°

Helix angle 45°

Spiralwinkel 45°

$l1 = 3 \times \varnothing$



$\varnothing d1e8$	$l1$	$\varnothing Dh6$	L	Rev. TiALN	$\varnothing d1e8$	$l1$	$\varnothing Dh6$	L	Rev. TiALN
0.50	1.50	6	39	☑	2.10	6.30	6	39	☑
0.60	1.80	6	39	☑	2.20	6.60	6	39	☑
0.70	2.10	6	39	☑	2.30	6.90	6	39	☑
0.80	2.40	6	39	☑	2.40	7.20	6	39	☑
0.90	2.70	6	39	☑	2.50	7.50	6	39	☑
1.00	3.00	6	39	☑	2.60	7.80	6	39	☑
1.10	3.30	6	39	☑	2.70	8.10	6	39	☑
1.20	3.60	6	39	☑	2.80	8.40	6	39	☑
1.30	3.90	6	39	☑	2.90	8.70	6	39	☑
1.40	4.20	6	39	☑	3.00	9.00	6	39	☑
1.50	4.50	6	39	☑	3.50	10.5	6	39	☑
1.60	4.80	6	39	☑	4.00	12.0	6	39	☑
1.70	5.10	6	39	☑	4.50	13.5	6	39	☑
1.80	5.40	6	39	☑	5.00	15.0	6	39	☑
1.90	5.70	6	39	☑	6.00	18.0	6	39	☑
2.00	6.00	6	39	☑					